



๒๕๕

1-๕

8%

| | | | |
|------------|----|-------|--------------------------|
| | - | | |
| 1/1 | | | |
| 1 | .. | 96.1 | 99.00 98.00 96.00 |
| 2 | .. | 95.89 | 99.50 100.00 96.00 |
| 3 | .. | 92.70 | |
| 4 | .. | 91.23 | |
| 5 | .. | 89.32 | |
| 6 | .. | 88.68 | |
| 7 | .. | 88.30 | |
| 1/2 | | | |
| 8 | .. | 92.86 | |
| 9 | .. | 92.73 | |
| 10 | .. | 92.45 | 98.00 |
| 11 | .. | 92.1 | |
| 1 | .. | 91.23 | |
| 13 | .. | 90.95 | |
| 14 | .. | 90.84 | |
| 15 | .. | 90.32 | |



๒๕๕

1๕

8%

| | | | |
|------------|----|-------|--|
| | - | | |
| 16 | .. | 89.52 | |
| 17 | .. | 88.95 | |
| 18 | .. | 88.39 | |
| 19 | .. | 88.09 | |
| 20 | .. | 88.0 | |
| 1/3 | | | |
| 2 | .. | 95.30 | |
| 22 | .. | 93.05 | |
| 23 | .. | 92.73 | |
| 24 | .. | 92.00 | |
| 25 | .. | 90.70 | |
| 26 | .. | 90.34 | |
| 27 | .. | 89.70 | |
| 28 | .. | 89.50 | |
| 29 | .. | 89.14 | |
| 30 | .. | 88.55 | |
| 1/4 | | | |
| 31 | .. | 938 | |
| 3 | .. | 91.25 | |
| 33 | .. | 89.59 | |
| 34 | .. | 89.57 | |



252

1-6

8%

| | | | |
|------------|----|-------|--------|
| | - | | |
| 35 | .. | 89.18 | |
| 36 | .. | 88.66 | |
| 1/5 | | | |
| 37 | .. | 92.95 | |
| 38 | .. | 92.2 | |
| 3 | .. | 92.0 | |
| 4 | .. | 89.64 | |
| 41 | .. | 89.55 | |
| 42 | .. | 88.36 | |
| 43 | .. | 88.25 | |
| 1/6 | | | |
| 44 | .. | 93.0 | 100.00 |
| 45 | .. | 91.68 | |
| 46 | .. | 90.11 | |
| 47 | .. | 89.66 | |
| 48 | .. | 89.07 | |
| 49 | .. | 88.32 | |

| | | | |
|------------|----|-------|--|
| 2/1 | | | |
| 50 | .. | 90.4 | |
| 5 | .. | 90.05 | |



๒๕๕

1๙

8%

| | | | |
|------------|----|-------|-------|
| | - | | |
| 52 | .. | 90.05 | |
| 53 | .. | 89.93 | |
| 54 | .. | 88.70 | |
| 55 | .. | 88.09 | |
| 56 | .. | 86.89 | |
| 57 | .. | 860 | |
| 5 | .. | 855 | |
| 2/2 | | | |
| 5 | .. | 928 | |
| 6 | .. | 925 | 97.00 |
| 61 | .. | 904 | |
| 6 | .. | 89.39 | |
| 63 | .. | 88.23 | |
| 64 | .. | 88.05 | |
| 65 | .. | 875 | |
| 6 | .. | 868 | |
| 6 | .. | 853 | |
| 2/3 | | | |
| 6 | .. | 90.91 | |
| 69 | .. | 905 | 94.50 |
| 70 | .. | 87.20 | |



252

1-6

8%

| | | | |
|------------|----|-------|-------|
| | - | | |
| 71 | .. | 87.05 | |
| 72 | .. | 85.55 | |
| 73 | .. | 852 | |
| 2/4 | | | |
| 74 | .. | 92.16 | 94.50 |
| 75 | .. | 91.66 | |
| 76 | .. | 90.32 | |
| 77 | .. | 899 | |
| 78 | .. | 89.89 | |
| 79 | .. | 897 | |
| 80 | .. | 87.50 | |
| 81 | .. | 86.77 | |
| 82 | .. | 86.59 | |
| 83 | .. | 859 | |
| 84 | .. | 85.91 | |
| 2/5 | | | |
| 85 | .. | 91.80 | 94.50 |
| 86 | .. | 88.98 | |
| 87 | .. | 88.86 | |
| 88 | .. | 885 | |
| 89 | .. | 88.00 | |



252

1๕

8%

| | | | |
|------------|----|-------|-------|
| | - | | |
| 90 | .. | 87.75 | 92.50 |
| 91 | .. | 86.11 | |
| 2/6 | | | |
| 9 | .. | 93.16 | 97.00 |
| 93 | .. | 92.48 | |
| 94 | .. | 90.66 | |
| 95 | .. | 89.20 | |
| 96 | .. | 89.05 | |
| 97 | .. | 88.66 | |
| 98 | .. | 87.27 | |
| 99 | .. | 86.66 | |
| 100 | .. | 86.0 | |

| | | | |
|-------------------|----|-------|--|
| 31 Diploma | | | |
| 10 | .. | 94.45 | |
| 102 | .. | 92.40 | |
| 103 | .. | 91.35 | |
| 104 | .. | 90.80 | |
| 105 | .. | 90.02 | |
| 106 | .. | 88.9 | |
| 10 | .. | 88.26 | |



๒๕๕

1๕

8%

| | | | |
|------------------|----|-------|--|
| | - | | |
| 108 | .. | 87.03 | |
| 32Diploma | | | |
| 109 | .. | 90.66 | |
| 110 | .. | 90.25 | |
| 111 | .. | 88.94 | |
| 112 | .. | 88.10 | |
| 33Diploma | | | |
| 113 | .. | 96.09 | |
| 114 | .. | 94.49 | |
| 115 | .. | 94.34 | |
| 116 | .. | 92.6 | |
| 117 | .. | 90.79 | |
| 118 | .. | 90.4 | |
| 119 | .. | 89.02 | |
| 34Diploma | | | |
| 120 | .. | 91.83 | |
| 121 | .. | 89.47 | |
| 122 | .. | 89.39 | |
| 123 | .. | 89.39 | |
| 124 | .. | 88.95 | |
| 35Diploma | | | |



252

1-6

8%

| | | | |
|---------------------|----|-------|--|
| | - | | |
| 125 | .. | 91.90 | |
| 126 | .. | 90.80 | |
| 127 | .. | 90.57 | |
| 128 | .. | 89.92 | |
| 129 | .. | 89.88 | |
| 130 | .. | 88.80 | |
| 131 | .. | 88.24 | |
| 36Diploma | | | |
| 132 | .. | 927 | |
| 13 | .. | 92.00 | |
| 134 | .. | 89.48 | |
| 3Certificate | | | |
| 135 | .. | 904 | |
| 13 | .. | 89.95 | |
| 137 | .. | 89.30 | |
| 138 | .. | 89.05 | |
| 139 | .. | 888 | |
| 14 | .. | 88.1 | |
| 14 | .. | 87.91 | |
| 142 | .. | 87.68 | |
| 143 | .. | 87.54 | |



252

1-6

8%

| | | | |
|-----|----|-------|--|
| | - | | |
| 144 | .. | 872 | |
| 14 | .. | 87.11 | |
| 146 | .. | 87.06 | |
| 147 | .. | 870 | |
| 14 | .. | 867 | |
| 14 | .. | 86.48 | |
| 150 | .. | 86.29 | |
| 151 | .. | 86.25 | |
| 152 | .. | 86.09 | |
| 153 | .. | 85.86 | |
| 154 | .. | 85.55 | |
| 155 | .. | 85.52 | |
| 156 | .. | 855 | |
| 15 | .. | 85.48 | |

| | | | |
|-----------|----|-------|----------------|
| 41 | | | |
| 158 | .. | 94.94 | 98.00 96.25 |
| 159 | .. | 932 | |
| 16 | .. | 92.77 | 95.25 |
| 164 | .. | 893 | |



๒๕๕

1๕

8%

| | | | |
|-----------|----|-------|----------------|
| | - | | |
| 16 | .. | 875 | |
| 16 | .. | 87.47 | |
| 164 | .. | 869 | |
| 16 | .. | 860 | |
| 16 | .. | 85.78 | |
| 42 | | | |
| 167 | .. | 947 | 98.00 97.50 |
| 168 | .. | 92.75 | |
| 169 | .. | 91.24 | |
| 170 | .. | 91.08 | |
| 171 | .. | 87.38 | |
| 172 | .. | 87.28 | |
| 173 | .. | 87.14 | |
| 174 | .. | 86.48 | |
| 175 | .. | 85.98 | |
| 176 | .. | 85.89 | |
| 43 | | | |
| 177 | .. | 91.85 | |
| 178 | .. | 89.41 | |
| 179 | .. | 88.49 | |



๒๕๕

1-๓

8%

| | | | |
|-----------|----|-------|--|
| | - | | |
| 180 | .. | 88.26 | |
| 181 | .. | 87.94 | |
| 182 | .. | 87.19 | |
| 183 | .. | 86.41 | |
| 184 | .. | 85.6 | |
| 44 | | | |
| 18 | .. | 92.08 | |
| 186 | .. | 90.75 | |
| 187 | .. | 90.6 | |
| 18 | .. | 89.73 | |
| 189 | .. | 87.50 | |
| 190 | .. | 87.2 | |
| 19 | .. | 87.0 | |
| 19 | .. | 86.10 | |
| 193 | .. | 86.00 | |
| 45 | | | |
| 194 | .. | 90.15 | |
| 195 | .. | 89.90 | |
| 196 | .. | 89.2 | |
| 19 | .. | 88.86 | |
| 198 | .. | 87.76 | |



๒๕๕

1๕

8%

| | | | |
|-----------|----|-------|-------|
| | - | | |
| 199 | .. | 865 | |
| 20 | .. | 86.43 | |
| 201 | .. | 858 | |
| 46 | | | |
| 20 | .. | 93.83 | 99.25 |
| 203 | .. | 923 | |
| 20 | .. | 91.34 | |
| 205 | .. | 906 | |
| 20 | .. | 89.56 | |
| 207 | .. | 88.34 | |
| 208 | .. | 883 | |
| 20 | .. | 87.00 | |
| 210 | .. | 86.11 | |

| | | | |
|-----------|----|-------|----------------------------------|
| 51 | | | |
| 211 | .. | 945 | 95.00 98.00 96.50 96.00 |
| 212 | .. | 91.91 | |
| 213 | .. | 88.91 | |



๒๕๕

1๙

8%

| | | | |
|-----------|----|-------|--|
| | - | | |
| 214 | .. | 87.53 | |
| 215 | .. | 87.10 | |
| 216 | .. | 87.0 | |
| 217 | .. | 86.88 | |
| 218 | .. | 86.1 | |
| 219 | .. | 85.70 | |
| 220 | .. | 85.34 | |
| 221 | .. | 85.32 | |
| 52 | | | |
| 222 | .. | 93.42 | |
| 223 | .. | 89.40 | |
| 224 | .. | 89.34 | |
| 225 | .. | 89.0 | |
| 226 | .. | 88.80 | |
| 227 | .. | 88.78 | |
| 228 | .. | 88.56 | |
| 229 | .. | 88.36 | |
| 230 | .. | 87.76 | |
| 231 | .. | 87.72 | |
| 232 | .. | 87.15 | |
| 233 | .. | 86.51 | |



๒๕๕

1๙

8%

| | | | |
|-----------|----|-------|-------|
| | - | | |
| 234 | .. | 85.60 | |
| 235 | .. | 85.26 | |
| 53 | | | |
| 236 | .. | 94.59 | 96.50 |
| 237 | .. | 94.2 | 98.00 |
| 238 | .. | 92.58 | |
| 239 | .. | 92.34 | |
| 240 | .. | 91.1 | |
| 24 | .. | 91.1 | |
| 24 | .. | 91.0 | |
| 24 | .. | 90.8 | |
| 24 | .. | 90.74 | |
| 245 | .. | 90.4 | |
| 24 | .. | 89.57 | |
| 247 | .. | 89.30 | |
| 248 | .. | 88.8 | |
| 24 | .. | 88.31 | |
| 250 | .. | 87.6 | |
| 25 | .. | 86.94 | |
| 252 | .. | 86.17 | |
| 253 | .. | 85.99 | |



๒๕๕

1๓

8%

| | | | |
|-----------|----|-------|-------|
| | - | | |
| 54 | | | |
| 254 | .. | 909 | |
| ๒๕ | .. | 857 | |
| ๒๕ | .. | 85.66 | |
| 55 | | | |
| 257 | .. | 90.14 | |
| 258 | .. | 88.18 | |
| 259 | .. | 86.94 | |
| 260 | .. | 85.77 | |
| 261 | .. | 85.43 | |
| 56 | | | |
| 262 | .. | 92.66 | 96.50 |
| 263 | .. | 91.1 | |
| ๒๖ | .. | 88.28 | |
| 265 | .. | 86.4 | |
| ๒๖ | .. | 85.59 | |

| | | | |
|-------------------|----|-------|--|
| 61 Diploma | | | |
| 267 | .. | 92.24 | |
| 268 | .. | 90.70 | |
| 269 | .. | 88.82 | |



๒๕๕

1๓

8%

| | | | |
|-------------------|----|-------|-------|
| | - | | |
| 270 | .. | 88.72 | |
| 271 | .. | 88.20 | |
| 272 | .. | 87.43 | |
| 273 | .. | 87.01 | |
| 62 Diploma | | | |
| 274 | .. | 90.41 | |
| 275 | .. | 90.00 | |
| 276 | .. | 89.6 | |
| 277 | .. | 89.1 | |
| 278 | .. | 88.24 | |
| 279 | .. | 87.90 | 86.00 |
| 63 Diploma | | | |
| 280 | .. | 90.85 | 96.50 |
| 281 | .. | 89.92 | 88.00 |
| 282 | .. | 88.36 | |
| 65 Diploma | | | |
| 283 | .. | 90.4 | 93.50 |
| 284 | .. | 88.50 | |
| 66 Diploma | | | |
| 285 | .. | 89.34 | |
| 286 | .. | 87.86 | |



252

1-6

8%

| | | | |
|---------------------|----|-------|-------|
| | - | | |
| 67Diploma | | | |
| 287 | .. | 90.37 | |
| 288 | .. | 89.70 | |
| 6Certificate | | | |
| 289 | .. | 883 | 91.50 |
| 290 | .. | 87.63 | |
| 291 | .. | 87.51 | |
| 292 | .. | 870 | |
| 29 | .. | 869 | |
| 29 | .. | 86.81 | |
| 295 | .. | 86.75 | |
| 296 | .. | 866 | |
| 29 | .. | 86.20 | |
| 298 | .. | 85.95 | |
| 299 | .. | 859 | |
| 30 | .. | 85.50 | |
| 301 | .. | 85.38 | |
| 302 | .. | 85.33 | |
| 303 | .. | 853 | |
| 30 | .. | 85.23 | |
| 305 | .. | 85.22 | |



252

1-6

8%

| | | | |
|-----|----|-------|--|
| | - | | |
| 306 | .. | 85.19 | |

| | | | |
|------------|----|-------|-------|
| | - | | |
| 1/1 | | | |
| 307 | .. | 89.4 | 94.00 |
| 308 | .. | 84.00 | |
| 309 | .. | 81.8 | |
| 310 | .. | 81.4 | |
| 311 | .. | 80.42 | |
| 1/2 | | | |
| 312 | .. | 86.31 | |
| 313 | .. | 85.03 | |
| 314 | .. | 84.9 | |
| 315 | .. | 83.0 | |
| 316 | .. | 81.62 | |
| 317 | .. | 80.97 | |
| 318 | .. | 80.3 | |
| 319 | .. | 80.17 | |
| 1/3 | | | |
| 320 | .. | 86.8 | |
| 321 | .. | 82.71 | |



๒๕๕

1๓

8%

| | | | |
|------------|----|-------|----------------|
| | - | | |
| 322 | .. | 81.61 | |
| 323 | .. | 80.92 | |
| 1/4 | | | |
| 324 | .. | 87.14 | |
| 325 | .. | 86.07 | |
| 326 | .. | 85.02 | |
| 327 | .. | 81.74 | |
| 328 | .. | 81.27 | |
| 329 | .. | 80.00 | |
| 1/5 | | | |
| 330 | .. | 88.33 | 91.50 |
| 331 | .. | 880 | |
| 33 | .. | 85.88 | |
| 333 | .. | 857 | |
| 33 | .. | 855 | 93.00 |
| 335 | .. | 82.1 | |
| 33 | .. | 81.90 | |
| 337 | .. | 800 | |
| 1/6 | | | |
| 33 | .. | 898 | 85.50 91.50 |



๒๕๕

1๓

8%

| | | | |
|-----|----|-------|-------|
| | - | | |
| | | | 91.00 |
| 339 | .. | 83.35 | |
| 340 | .. | 82.01 | |
| 341 | .. | 81.39 | |
| 342 | .. | 80.99 | |

| | | | |
|------------|----|-------|-------|
| 21 | | | |
| 343 | .. | 882 | 95.75 |
| 344 | .. | 85.68 | |
| 345 | .. | 847 | |
| 34 | .. | 84.42 | |
| 347 | .. | 828 | |
| 34 | .. | 81.38 | |
| 349 | .. | 806 | |
| 35 | .. | 804 | |
| 2/2 | | | |
| 35 | .. | 87.26 | |
| 352 | .. | 85.51 | |
| 353 | .. | 85.07 | |
| 354 | .. | 83.38 | |
| 355 | .. | 82.82 | |



๒๕๕

1๓

8%

| | | | |
|------------|----|-------|-------|
| | - | | |
| 356 | .. | 81.93 | |
| 357 | .. | 81.29 | |
| 358 | .. | 81.13 | |
| 359 | .. | 80.68 | |
| 360 | .. | 80.4 | |
| 2/3 | | | |
| 36 | .. | 88.8 | 88.00 |
| 362 | .. | 85.4 | |
| 36 | .. | 83.55 | |
| 364 | .. | 81.80 | |
| 365 | .. | 81.05 | |
| 366 | .. | 80.7 | |
| 2/4 | | | |
| 36 | .. | 89.1 | 89.50 |
| | | | 92.50 |
| 368 | .. | 86.76 | |
| 369 | .. | 84.42 | |
| 370 | .. | 82.8 | |
| 37 | .. | 81.5 | |
| 37 | .. | 81.5 | |
| 37 | .. | 80.65 | |



252

16

8%

| | | | |
|-----------|----|-------|-------|
| | - | | |
| 25 | | | |
| 374 | .. | 84.75 | |
| 375 | .. | 80.7 | |
| 37 | .. | 80.4 | |
| 26 | | | |
| 37 | .. | 88.70 | 87.75 |
| 378 | .. | 88.33 | |
| 379 | .. | 85.88 | |
| 380 | .. | 85.67 | |
| 381 | .. | 84.05 | |
| 382 | .. | 83.6 | |
| 38 | .. | 83.31 | |
| 384 | .. | 83.15 | |
| 385 | .. | 82.38 | |
| 386 | .. | 81.52 | |
| 387 | .. | 80.74 | |
| 388 | .. | 80.18 | |
| 389 | .. | 80.02 | |

| | | | |
|-------------------|----|-----|--|
| 31 Diploma | | | |
| 390 | .. | 860 | |



252

1-6

8%

| | | | |
|-------------------|----|-------|-------|
| | - | | |
| 39 | .. | 84.48 | |
| 392 | .. | 84.22 | |
| 32 Diploma | | | |
| 393 | .. | 85.34 | |
| 394 | .. | 84.2 | |
| 39 | .. | 83.55 | |
| 33 Diploma | | | |
| 396 | .. | 85.9 | |
| 39 | .. | 85.48 | |
| 398 | .. | 84.56 | |
| 34 Diploma | | | |
| 399 | .. | 85.16 | |
| 400 | .. | 82.48 | |
| 401 | .. | 81.40 | |
| 35 Diploma | | | |
| 402 | .. | 86.76 | 92.00 |
| 403 | .. | 84.5 | |
| 40 | .. | 83.35 | |
| 405 | .. | 83.05 | |
| 406 | .. | 82.88 | |
| 407 | .. | 82.52 | |



๒๕๕

1๓

8%

| | | | |
|----------------------|----|-------|----------------------------------|
| | - | | |
| 408 | .. | 82.40 | |
| 409 | .. | 81.6 | |
| 410 | .. | 81.01 | |
| 36 Diploma | | | |
| 411 | .. | 86.07 | |
| 412 | .. | 84.39 | |
| 3 Certificate | | | |
| 413 | .. | 91.1 | 93.25 88.50 89.75 92.50 |
| 414 | .. | 86.23 | |
| 415 | .. | 85.46 | |
| 416 | .. | 84.33 | |
| 417 | .. | 84.27 | |
| 418 | .. | 83.52 | |
| 419 | .. | 82.99 | |
| 420 | .. | 82.8 | |
| 421 | .. | 82.81 | |
| 422 | .. | 82.52 | |
| 423 | .. | 81.97 | |



252

1-6

8%

| | | | |
|-----|-----|-------|--|
| | - | | |
| 424 | . . | 81.77 | |
| 425 | . . | 81.62 | |
| 426 | . . | 81.49 | |
| 427 | . . | 81.34 | |
| 428 | . . | 81.2 | |
| 42 | . . | 81.22 | |
| 430 | . . | 81.02 | |
| 431 | . . | 81.00 | |
| 432 | . . | 80.89 | |
| 433 | . . | 80.88 | |
| 434 | . . | 80.82 | |
| 435 | . . | 80.79 | |
| 436 | . . | 80.56 | |
| 437 | . . | 80.55 | |
| 438 | . . | 80.51 | |
| 439 | . . | 80.45 | |
| 440 | . . | 80.4 | |
| 44 | . . | 80.32 | |
| 442 | . . | 80.08 | |
| 443 | . . | 80.05 | |



๒๕๕

1๓

8%

| | | | |
|------------|----|-----|-------|
| | - | | |
| 4/1 | | | |
| 444 | .. | 387 | 91.00 |
| 445 | .. | 380 | |
| 446 | | 37 | 85.50 |
| 447 | .. | 36 | |
| 44 | .. | 358 | |
| 449 | .. | 353 | |
| 450 | | 34 | |
| 45 | | 340 | |
| 452 | | 334 | |
| 453 | .. | 316 | |
| 454 | .. | 315 | |
| 455 | | 305 | |
| 4/2 | | | |
| 456 | .. | 38 | 93.25 |
| 457 | .. | 354 | |
| 458 | .. | 347 | |
| 459 | .. | 343 | 84.50 |
| 460 | .. | 341 | |
| 461 | .. | 336 | |
| 462 | | 327 | |



๒๕๕

1๓

8%

| | | | |
|------------|----|-----|-------|
| | - | | |
| 463 | .. | 323 | |
| 464 | .. | 32 | |
| 465 | .. | 318 | |
| 466 | .. | 311 | |
| 467 | .. | 306 | |
| 4/3 | | | |
| 468 | .. | 37 | |
| 469 | .. | 359 | |
| 470 | | 329 | |
| 471 | .. | 321 | |
| 472 | .. | 319 | |
| 473 | | 311 | |
| 474 | | 304 | |
| 4/4 | | | |
| 475 | .. | 369 | 81.50 |
| 476 | .. | 345 | |
| 477 | .. | 343 | |
| 478 | .. | 342 | |
| 479 | .. | 340 | |
| 480 | .. | 325 | |
| 481 | | 318 | |



๒๕๕

1๙

8%

| | | | |
|------------|----|------|--|
| | - | | |
| 482 | .. | 3.1 | |
| 48 | .. | 3.1 | |
| 48 | .. | 3.08 | |
| 485 | .. | 3.0 | |
| 48 | .. | 3.05 | |
| 487 | | 3.01 | |
| 488 | | 3.0 | |
| 48 | .. | 3.00 | |
| 4/5 | | | |
| 490 | .. | 3.68 | |
| 491 | .. | 3.33 | |
| 492 | .. | 3.12 | |
| 493 | .. | 3.0 | |
| 49 | .. | 3.0 | |
| 49 | .. | 3.42 | |

| | | | |
|------------|----|------|--|
| 5/1 | | | |
| 496 | .. | 3.97 | |
| 497 | .. | 3.8 | |
| 49 | .. | 3.7 | |
| 49 | .. | 3.71 | |



๒๕๕

1๓

8%

| | | | |
|------------|----|-----|----------------|
| | - | | |
| 500 | .. | 364 | |
| 501 | .. | 355 | |
| 502 | .. | 342 | |
| 503 | | 342 | |
| 504 | .. | 34 | |
| 505 | .. | 332 | |
| 506 | .. | 331 | |
| 507 | .. | 330 | |
| 508 | .. | 328 | |
| 509 | .. | 326 | |
| 510 | | 323 | |
| 511 | .. | 320 | |
| 5/2 | | | |
| 512 | .. | 400 | 89.50 |
| 513 | .. | 40 | 97.50 95.00 |
| 514 | .. | 397 | |
| 515 | .. | 397 | 89.50 |
| 516 | .. | 392 | 91.50 89.50 |
| 517 | .. | 39 | |



๒๕๕

1๓

8%

| | | | |
|------------|----|------|--|
| | - | | |
| 518 | .. | 3.88 | |
| 519 | | 3.77 | |
| 520 | .. | 3.74 | |
| 521 | | 3.32 | |
| 522 | | 3.28 | |
| 5/3 | | | |
| 523 | .. | 3.95 | |
| 524 | .. | 3.80 | |
| 525 | .. | 3.7 | |
| 526 | .. | 3.56 | |
| 527 | | 3.48 | |
| 528 | | 3.40 | |
| 529 | .. | 3.33 | |
| 530 | | 3.33 | |
| 531 | .. | 3.33 | |
| 532 | .. | 3.27 | |
| 533 | | 3.23 | |
| 534 | | 3.22 | |
| 535 | .. | 3.21 | |
| 5/4 | | | |
| 536 | .. | 3.88 | |



๒๕๕

1๓

8%

| | | | |
|------------|----|------|--|
| | - | | |
| 537 | .. | 3.72 | |
| 538 | .. | 3.49 | |
| 539 | .. | 3.40 | |
| 540 | | 3.30 | |
| 541 | .. | 3.25 | |
| 542 | .. | 3.1 | |
| 5/5 | | | |
| 54 | .. | 3.32 | |

| | | | |
|-------------------|----|------|--------------|
| 61 Diploma | | | |
| 544 | .. | 38 | |
| 54 | .. | 3.83 | 86.00 |
| 546 | .. | 3.78 | |
| 547 | .. | 3.64 | |
| 548 | .. | 3.64 | |
| 549 | .. | 3.62 | |
| 550 | | 3.62 | 81.03 () |
| 551 | .. | 3.62 | |
| 552 | .. | 35 | |
| 55 | | 35 | |



๒๕๕

1๓

8%

| | | | |
|------------------|----|-----|-------|
| | - | | |
| ๕๕ | | 34 | |
| ๕๖ | .. | 332 | |
| 556 | .. | 330 | |
| 557 | | 32 | |
| 62Diploma | | | |
| ๕๖ | .. | 387 | |
| 559 | .. | 37 | |
| ๕๖ | .. | 37 | 95.00 |
| 561 | .. | 36 | 84.50 |
| 562 | .. | 36 | |
| ๕๖ | .. | 349 | |
| 564 | .. | 345 | |
| 565 | | 343 | |
| 566 | .. | 319 | |
| 567 | .. | 31 | |
| 63Diploma | | | |
| ๕๖ | .. | 358 | |
| 569 | .. | 333 | |
| 570 | .. | 317 | |
| 64Diploma | | | |
| 571 | .. | 383 | 92.50 |



๒๕๕

1๓

8%

| | | | |
|----------------------|----|------|---|
| | - | | |
| | | | (|
| 57 | | 3.68 | |
| 573 | .. | 3.58 | |
| 574 | .. | 3.52 | |
| 575 | | 32 | |
| 65 Diploma | | | |
| 57 | | 3.50 | |
| 577 | .. | 3.29 | |
| 578 | | 3.28 | |
| 579 | .. | 3.14 | |
| 6 Certificate | | | |
| 580 | | 3.30 | |
| 581 | .. | 3.27 | |
| 582 | .. | 32 | |
| 583 | .. | 3.20 | |
| 584 | | 3.20 | |
| 585 | .. | 3.19 | |
| 586 | .. | 3.15 | |
| 587 | | 3.11 | |
| 588 | | 3.07 | |
| 589 | .. | 3.07 | |



๒๕๕

1๙

8%

| | | | |
|-----|----|-----|--|
| | - | | |
| 590 | .. | 30 | |
| 591 | .. | 30 | |
| 59 | | 304 | |
| 593 | | 303 | |
| 594 | | 302 | |